PROFESSIONAL BUILDING SYSTEMS, INC PRODUCT GUIDE



"Building Americas Future... Today!"

Professional Building Systems, Inc. 200 Custom Avenue Middleburg, PA 17842 800-837-4552



TABLE OF CONTENTS

House wrap	3
Siding	5
Fascia and Drip Edge	7
Shutters	8
Shingles	9
Entry Doors	11
Door Knobs	13
Door Bells	14
Window and Grilles	15
Interior Doors and Locksets	19
Interior Trim	21
Vinyl Flooring	23
Ceramic Tile and Stone Slate	25
Hardwood Flooring	31
Carpet	35
Lighting	40
Fireplace Surround	44
Cabinets and Vanities	48
Faucets	52
Kitchen Sinks	57
Formica	59
Corian Colors	61
Zodiaq Colors	62
Appliance Packages and Range Hoods	63
Bath Fixtures	68
Pedestal Sink and Wall Mount Lavatory	70
Toilets	71
Vanity Tops	72
Medicine Cabinets	73
Warranty	74
Mission Statement	75

**Colors throughout this brochure are simulated. **

NOTE: Professional Building Systems, Inc. reserves the right to substitute any products, parts and/or materials with goods of similar or greater value.



^{**}Consult product samples before making final selection.**

^{**}Some options may incur an additional cost.**

3

HOUSE WRAP STANDARD GREEN GUARD



Value Wrap

Price-to-performance value.

Protects against air and water infiltration.

Designed not to tear, making it tough and reliable.

Value Wrap provides GreenGuard performance at great savings. It acts as a barrier against air and water infiltration. Plus it breathes to allow moisture vapor to escape, reducing the potential for condensation buildup. Value Wrap's translucent design makes it quick and easy to install. And its strong, cross-woven structure resists tearing, so there's less job site waste. Stays UV-stable up to 12 months



4

HOUSE WRAP OPTIONAL TYVEK



How It Works:



DuPont™ Tyvek® HomeWrap® helps protect a home against damaging wind and rain that can penetrate through the exterior cladding.



The unique nonwoven structure of DuPont™ Tyvek® HomeWrap® blocks excess water from entering into walls.



The breathable structure of this house wrap allows moisture vapor to pass through to help promote drying in wall systems which can aid in preventing the growth of mold and mildew.



The unique non-woven fiber structure of DuPont™ Tyvek® HomeWrap® stops air movement through the walls helping to provide a more energy efficient home.




CERTAINTEED SIDING MAINSTREET PBS STANDARD COLORS

Colonial White	Snow	Sandstone Beige
Heritage Cream	Silver Ash	Desert Tan
Light Maple	Autumn Yellow	Sandpiper
Sterling Grey	Savannah Wicker	Suede
Natural Clay	Buckskin	Cypress
Oxford Blue	Granite Grey	Seagrass



CERTAINTEED SIDING MAINSTREET PBS Upgrade Colors





Product Specifications

Double 4" Clapboard Solid Colors		
Finish	Wood Grain	
Panel Projection:	1/2"	
Panel Length:	12'-6"	
Thickness:	.042"	
Packaging:		
Squares/carton:	2	
Panels/carton:	24	
Carton weight:	92 lbs. (approx.)	



FASCIA & DRIP EDGE PBS STANDARD IS WHITE COLOR OPTIONS ARE UPGRADES





SHUTTERS (Available in Raised Panel Or Louvered)

COLORS:





TAMKO SHINGLES HERITAGE 30 YR ARCH. PBS STANDARD SHINGLES




PRODUCT SPECIFICATIONS: Nominal Size: 12" x 37"

Exposure: 5"

Shingles per Square: 78 Bundles per Square: 3

Coverage per Square: 99.9 sq. ft.





TAMKO SHINGLES HERITAGE 30 YR ARCH. PBS STANDARD SHINGLE COLORS






THERMA-TRU EXTERIOR DOORS PBS DOORS

SMOOTH-STAR FIBERGLASS EXTERIOR DOOR



Get the look of fine painted wood and the strength of steel with a front door from the Smooth-Star® Entry Door Collection. It's an excellent value in a fiberglass entry door, made of rugged compression-molded fiberglass with deep detailed panels. This design creates beautiful shadows and contours on your door's surface.



15-Lite

2-Lite


Full-Lite

Sunburst



EXTERIOR DOOR OPTIONS

SIDELITES AND TRANSOMS





S100SL Clear Glass Height-6'8"



Fixed or GBG
Grills
Height-6'8"
Width-12"or 14"



Clear Glass Height-6'8" Width-12"or 14"

S210SL



S263SL
Fixed or GBG
Grills
Height-6'8"
Width-12"or 14"



Square Transom
Clear or Grilles
3/0 - 37 1/4" x 12 1/4"
Sidelight Units
1/0-3/0-1/0 - 64 1/2" x 12 1/4"



Half Round Transom
Clear or Grilles
3/0 - 37 1/2
Sidelight Units
1/0-3/0-1/0 - 64 1/2" x 33 1/4"
1/2-3/0-1/2 - 68 1/2" x 34 3/4"

Please Note:

Brushed Nickel Caming - Optional Black Nickel Caming - Optional LE- Low E Glass - Standard



SCHLAGE DOOR KNOBS FOR ENTRY DOORS







PBS Standard: Keyed Entry lockset is Corona J54 in Satin Nickel (619)
Also available in upgraded colors







Optional: Keyed Entry lockset is Torino lever J54 in satin nickel (619) also available in upgrade colors





Optional: Barcelona Handleset w/ Deadbolt in satin nickel (619) also available in upgrade colors

PBS Standard color:

Satin nickel 619

Upgrade Colors:

Bright Brass 605 Antique Brass 609 Antique Pewter 620 Bright Chrome 625 Satin Stainless Steel 630 Aged Bronze 716



TUTONE DOOR BELLS

PBS STANDARD FRONT AND REAR DOOR CHIME (WIRED BK1251W14)



OPTIONAL FRONT AND REAR DOOR CHIME (WIRELESS LA542WH)





PLYGEM SERIES BRICKMOULD VINYL WINDOW

PBS STANDARD CLASSIC DOUBLE HUNG WINDOW



Standard Features

- •Classic brick mould profile provides an authentic sculptured appearance that matches traditional exterior millwork
- •Interior and exterior accessory grooves allow for easy accessory application
- •Both sash tilt in and remove for safe and easy cleaning of exterior glass
- •Weather-tight dual action sash lock provides security while sealing out the weather and sealing in your comfort
- •Energy-efficient Warm Edge insulating glass for enhanced energy performance
- Low-profile sill nosing resembles a traditional wood window
- •Integral nailing fin with fusion-welded corners for simple and accurate installation
- •Maintenance-free multi-chamber PVC construction with fusion-welded corners for durability, weather-tight performance and beauty
- •Robust interlock satisfies forced entry requirements and improves structural performance
- •Integral 11/16" siding pocket with undersill trim leg allows for simple and secure siding installation

<u>Standard</u>






Optional



PLYGEM SERIES BRICKMOULD VINYL WINDOW OPTIONAL GRILLE PATTERNS



Call customer service for optional grille patterns (800.999.8400)



ANDERSEN 400 SERIES WINDOWS TILT-WASH DOUBLE HUNG WINDOWS





<u>Exterior</u>	<u>Finish</u>	<u>Interior Finish</u>
<u>White</u>	<u>Sandstone</u>	<u>White</u>
	<u>Hardware</u>	


White




Stone

ANDERSEN 400 SERIES WINDOWS


GRILLE TYPES (SOME OPTIONS MAY INCUR ADDITIONAL COST)




Finelight™ Grilles are installed between glass




Removable Interior Grilles



Removable Interior
Grilles with Permanent
Exterior Grilles



Permanent Exterior and Permanent Interior Grilles



Permanent Exterior and Permanent Interior Grilles with Spacer




^{**}Finelight grilles only available in colonial pattern.


^{**}Removable interior grilles are not available in pine.

INTERIOR DOORS HOLLOW CORE MOLDED PANEL SERIES


PBS Standard 6-Panel Smooth or Textured




Optional 2 Panel Square Top Smooth Only



Optional 4 Eyebrow Top
Textured Only



Optional 2 Panel Eyebrow Top Smooth and Textured



<u>Upgrade Interior Doors Available:</u>

Solid Oak or Pine Veneer Doors
Solid Core Doors
Stained or Poly'd Doors
Louvered Doors



SCHLAGE INTERIOR LOCKSETS DEXTER DOOR KNOBS

PBS Standard Corona Door Knob



Optional Torino Door <u>Lever</u>



PBS Standard Finish is Satin Nickle (619)

Optional Finishes

Bright Brass (605)



Antique Pewter (620) Bright Chrome (625)





Stainless Steel (630)



Aged Bronze (716)






INTERIOR TRIM

PBS STANDARD TRIM

366 CASING 2 1/4",
623 BASE 3 1/4"



<u>Pine/Oak Optional Trim Finishes:</u> Raw/Unfinished, Poly Coat Only, Natural, Harvest or Provincial (oak only)



Pine Natural



Pine Harvest



Oak Natural




Oak Provincial




Oak Harvest




INTERIOR TRIM OPTIONAL TRIM




HH 445 Custom Colonial Casing 11/16" x 3 1/4"




HH 618 Custom Colonial Base 17/32" x 5 1/4"




HH220 Fluted Casing 3/4" x 3 3/4"



<u>HH 53</u> <u>Crown</u> 11/16" x 2 5/8"



HH 49 Crown 11/16" x 3 1/2"



HH 47 Crown 11/16" x 4 5/8"



CRAFTSMAN STYLE TRIM Door & Window HH282 Water Table 1x4 or 1x6 Header HH519 Sash Bead 1x4 Legs



CRAFTSMAN STYLE BASE HH1X6



VINYL FLOORING ARMSTRONG VINYL

ARMSTRONG VINYL (14' ROLLS) PBS STANDARD COLOR OPTIONS



Penrose Point Champagne 91140



Capadocia Travertine Stonehenge 91150



Deep Creek Timbers Rustic Hearth 91161



Newport Slate Deep Taupe 91182



Newport Slate Copper Mountain 91183



Mineral Travertine Berlin Brown 91190

Vinyl Sheet Flooring with 1/4" Luan Underlayment



VINYL FLOORING CONGOLEUM VINYL (13'6" OR 15'6" WIDE ROLL) PBS STANDARD COLOR OPTIONS



White Cashmere 9570



Light Multi 9342



Gunstock 9246



Appalachian Trail 9511



Rustic Redwood 9504



Multi Fired Bisque 9331



Safari 9341



SNAPSTONE FLOOR TILE

12" x 12" Optional upgrade



Rosso







Moss






Mist Niorbrara

Features of SnapStone Floating Porcelain Tile Flooring System

High Quality Porcelain Tile

Easy to maintain
Scratch, Stain and Moisture resistant
Allergen-resistant
Incredible durability
Adds value to your home
Many beautiful designs to choose from



The SnapSys Interloc® Tray

Allows tile to quickly and easily "snap" together Self-aligning system ensures consistent grout lines Eliminates need for spacers and grids Tiles can be disassembled and reused

Minimizes sound transmission, making it perfect for apartments or condominiums

Rubberized Base

Absorbs minor imperfections in the sub-floor eliminating the need for underlayment Allows tiles to "float" directly over vinyl, wood, concrete or ceramic without adhesive or mortar Skid-resistant

SnapStone and the Environment—It's Green!

Sustainability

SnapStone tile can be disassembled and re-used, making it one of the only reusable tiles available today! Reusable means sustainable!

Less Waste:

Fewer natural resources consumed compared to traditional tile: 2-3 core products vs. 5-8 core products

No discarding of existing floor and dumping into landfills, SnapStone installs over it

Healthier Air:

No dust generated from mixing adhesives, grout and thin sets No dust generated removing old floors Tile is easy to clean and inherently hygienic vs. carpets/rugs

ReUSEable means Sustainable

Life Cycle:

Life cycle maintenance costs for SnapStone are significantly lower than traditionally installed tile because it is not adhered to the floor and is easy to remove



DALTILE FLOOR TILE HEATHLAND SERIES

OPTIONAL

12 x 12 Floor or 6 x 6 Wall



White Rock HL01



Raffia HL02



Amber HL03



Edgewood HL04



Ashland HL05



Sage HL06



DALTILE SKYBRIDGE SERIES WALL TILE

 $10^{\circ} \times 14^{\circ}, 4^{\circ} \times 8^{\circ}$ and $2^{\circ} \times 4^{\circ}$ Brick Joint Mosaic (12" x 12" sheet)

Wall - 10" x 14" or 4" x 8"



Off White SY95



Beige SY96



Brown SY97



Gray SY98

Wall - 2" x 4" Brick Joint Mosaic (12" x 12" sheet)



Daltile Saddle Brook Series Floor Tile



Farmhouse SD14



Walnut Creek SD15




Gravel Road SD16

GYPSEA GLASS MOSAIC WALL TILE


1" x 4" Staggered (12"x12" mesh mount sheets)



Triton-AG01



Galatea-AG03



Zebo-AG04



Application: Walls & Backsplashes

Size: 1"x4" Staggered (12"x12" mesh mount)

Thickness: 5/16"

Grout Joint Recommendation: Approx. 1/8"

Shade Variation: High

*Not suitable for exterior use.

DALTILE STONE SLATE 12" X 12" TILES OPTIONAL



Brazil Black S762



Brazil Grey S201



Brazil Multicolor S275



SHAW'S GRAND SUMMIT HAND SCULPTED LAMINATE FLOORING OPTIONAL



Classic Hickory 272



Natural Hickory 303



Historic Hickory 607



Cinnamon Hickory 951



Rich Hickory 988

PRODUCT SPECIFICATIONS

Plank Width	8"	Edge Profile	Micro Bevel
Plank Length	78.75"	Installation Method	Float
Plank Thickness	13/32"	Installation Grade	Above, On, Below
Sq. Ft . Per	20.66	T&G Profile	Glueless

TRIM OPTIONS











SHAW'S DESIGNER MIX HARD SURFACE LAMINATE

Hard Surface Laminate (mixed Widths) Optional



Anneal 1003



Forge 1004



Alloy 5004



Galvanize 7006



Brazen 7007

PRODUCT SPECIFICATIONS

Plank Width	Mixed 3.58",4.96",6.34"	Edge Profile	Micro Bevel
Plank Length	47.84"	Installation Method	Float
Plank Thickness	15/32"	Installation Grade	Above, On, Below
Sq. Ft . Per	19.78	T&G Profile	Glueless

TRIM OPTIONS

Moulding Track



Overlap Stair nose



Quarter Round



T-Moulding





SHAW VINYL PLANK "FLOORTE CLASSICO" OPTIONAL



Antico-00747



Rosso-00710



Giallo-00643



Teak-00603



Oro-00255



Bianco—00107



Bruce Hardwood Flooring Cannot Be Used Over Radiant Heat

BRUCE HARDWOOD FLOORING DUNDEE OAK SERIES 3/4"

OPTIONAL



Butter Rum CB259



Butterscotch **CB216**



Cherry **CB218**



Dune CB232



Fawn **CB234**



Gunstock **CB211**



Natural **CB210**



Saddle **CB217**



Seashell **CB230**



Mocha **CB277**



Spice **CB214**



Expresso **CB275**



SHAW CARPETING PBS STANDARD 250Z. New Day Carpet






SHAW CARPETING PBS OPTIONAL ADAPTATION 250Z CARPET



Treasure 200



River Rock 500



Flagstone 502



Aged Leather 700



Jute 701



Ash Bark 702



Westwood 703



SHAW CARPETING OPTIONAL 350Z. GO SOFTLY





SHAW CARPETING OPTIONAL 380Z. FRESHEN UP







Winter White 100

Dunes 102

Chamois 200







Cold Water 500

Sea Salt 501

Townhouse 701



SHAW CARPETING PBS OPTIONAL PURE WATERS BERBER





LIGHTING FIXTURES STANDARD BRUSHED DICKEL



Bedroom/Hall Light 77063-962



Breakfast Nook Light 65806-962



Mini Pendant Light 61806-962



Walk In Closet Light 5326-962



Hanging Foyer Light
77806-962
**Flush Mount on 8' ceilings
**Hanging on ceilings 8'6" & above



Kitchen Light 77064-962



Dining Room Chandelier 31808-962



Exterior Light 8457-965





LIGHTING FIXTURES OPTIONAL AGED BRONZE



Bedroom/Hall Light 77063-827



Walk In Closet Light 5326-782



Kitchen Light 77064-827



Breakfast Nook Light 65806-827



Hanging Foyer Light
77806-827
**Flush Mount on 8' ceilings
**Hanging on ceilings 8'6" & above



Dining Room Chandelier 31808-827



Exterior Light 8457-71







LIGHTING FIXTURES

OPTIONAL UNDER CABINET LIGHTING







Under Cabinet 3W LED Strip Light Continuous Run Includes Under Cabinet Molding (UCM)









LIGHTING FIXTURES BATH VANITY 2-LIGHT, 3-LIGHT, 4-LIGHT





Standard: Brushed Nickel 44806-962

Optional: Aged Bronze 44806-827

Optional: Chrome 4871-05







Standard: Brushed Nickel 44807-962

Optional: Aged Bronze 44807-827

Optional: Chrome 4872-05







Standard: Brushed Nickel 44808-962

Optional: Aged Bronze 44808-827

Optional: Chrome 4873-05




FIREPLACE SURROUNDS COLOR AVAILABILITY FOR MARBLE SURROUNDS ON FIREPLACE:


Standard Options:



Pale Grey / White



White / White



Biscuit / White


Upgrade Options:



White / Black



White / Timberline



Solid White

Upgrade Granite Options



Sand Granite



Steel Grey Granite



Terracotta Granite



Coal Granite



FIREPLACE SURROUNDS COLOR AVAILABILITY FOR MARBLE SURROUNDS ON

FIREPLACE:

The wood surrounds pictured below are not included with the marble surrounds. See the next page for wood surround options.



PBS Basic-Pale Grey On White Surround. Wood Mantle Optional



Optional-White/Timberline Surround



Optional – Steel Grey Granite Surround




WOOD FIREPLACE MANTLE & SURROUNDS:

ALL SURROUNDS ARE OPTIONAL AND REQUIRE LONGER
LEAD TIMES

Available Colors:


White, Natural (light) Stain, Harvest (medium) Stain, Raw Pine, Raw Oak.



Grant




Hayes




Jackson



Washington



Garfield



Lincoln



Madison



Jefferson



FIREPLACE & KITCHEN SURROUNDS:

Color availability: Carnoustie, Pennsylvania, And West Chester

PROFILES AVAILABILITY: DRYSTACK AND FIELDSTONE



Pennsylvania Drystack



Full Height Pennsylvania Drystack



Westchester Fieldstone



Carnoustie Drystack



Brick With Raised Hearth



Tile Surround



Kitchen Hearth

Fireplaces Surrounds Available With Or Without Raised Hearth



MERILLAT CABINETS AND VANITIES

OAK CABINETS

PBS Standard Cabinets are Spring Valley Oak All Other Cabinets are optional pricing.

Merillat Classic: Available In Natural, Pecan, Amaretto, or Kona



Portrait Pecan



Seneca Ridge Natural



Spring Valley
Amaretto



Glen Arbor Kona



Tolani Pecan



Sutton Cliffs Natural

Most Wall Cabinets Available With Arch Top. Please Refer to Product
Website For More Information and Different Color Options



MERILLAT CABINETS AND VANITIES MAPLE CABINETS

Merillat Classic:

Available In Chiffon, Cotton, Natural, Toffee, Hazelnut, Sable, Sedona, Dusk, Kona, Pecan



<u>Please visit website for additional finishes/glazing/styles.</u> <u>www.merillat.com</u>

Most Wall Cabinets Available With Arch Top. Please Refer to Product

Website For More Information and Different Color Options



MERILLAT CABINETS AND VANITIES

CHERRY CABINETS

Merillat Classic:
Available In Amaretto, Cider, Pecan, or Paprika



Avenue Pecan



Fusion Cider



Labelle Paprika



<u>Lariat</u> Amaretto



Portrait



Seneca Ridge



Somerton Hill



Spring Valley



Sutton Cliffs



<u>Tolani</u>

Most Wall Cabinets Available With Arch Top. Please Refer to Product

Website For More Information and Different Color Options



MERILLAT CABINETS AND VANITIES

LAMINATE, HICKORY, HARDWOOD CABINETS

Merillat Classic Laminate:

Available In White



Arbor Falls II
White



Whitebay II

Merillat Classic Hickory:

Available In Natural



Spring Valley
Natural



Sutton Cliffs Natural

Merillat Marlin Cabinet Available In Cotton, Kona, Pecan



Marlin Cotton



<u>Marlin</u>



Marlin

Most Wall Cabinets Available With Arch Top. Please Refer to Product Website For More Information and Different Color Options



MOEN FAUCETS PBS STANDARD FAUCETS

TRADITIONAL SERIES COLOR: SPOT RESISTANT BRUSHED NICKEL



Roman Tub Model # T624SRN



Lever Lavatory Faucet w/ Popup Drain Model # WS84003SRN



Posi-Temp® Tub/Shower Model # T2123SRN



Posi-Temp® Shower Model # T2122SRN



Kitchen Faucet w/ Side Spray Model # CA87060SRS





MOEN FAUCETS

UPGRADE 1 FAUCETS BRANTFORD SERIES COLORS: CHROME, BRUSHED NICKEL, OR OIL RUBBED BRONZE



Roman Tub Model # T933



Lavatory Faucet w/ Popup Drain Model # 6610BN



Posi-Temp® Tub/Shower Model # T2153ORB



Posi-Temp® Shower Model # T2152



Camerist
Kitchen Faucet w/ Side Spray
Model # 7840





MOEN FAUCETS UPGRADE 2 FAUCETS

UPGRADE 2 PAUCETS EVA SERIES

COLORS: CHROME, BRUSHED NICKEL, OIL RUBBED BRONZE



Roman Tub Model # T943



Lavatory Faucet w/ Popup Drain Model # 6410



Posi-Temp® Tub/Shower Model # T2133



Posi-Temp® Shower Model # T2132





MOEN FAUCETS UPGRADE 3 FAUCETS

UPGRADE 3 TAUCETS DARTMOOR SERIES COLORS: CHROME, BRUSHED PICKEL, OIL RUBBED BRONZE



Roman Tub Model # T683



Lavatory Faucet w/ Popup Drain Model # 6802



Posi-Temp® Tub/Shower Model # T2183



Posi-Temp® Shower Model # T2182





MOEN FAUCETS KITCHEN FAUCET UPGRADES



Arbor
Kitchen Faucet –one handle
arc pulldown spray
Model # 7594
Chrome, Oil Rubbed Bronze,
Spot Resistant Stainless



Brantford
Kitchen Faucet –one handle
high arc pulldown spray
Model # 7185
Chrome, Oil Rubbed Bronze,
Spot Resistant Stainless



Chateau Bar Faucet Model # 4904 Chrome





KITCHEN SINKS STAINLESS STEEL KITCHEN SINKS



PBS Standard

Dayton Stainless Steel
Double Bowl Kitchen Sink
Model # DSE 23322



Optional

Camelot Stainless Steel Single Bowl Bar Sink Model # 22245 w/ #4904 Bar Faucet



Optional

1800 Series 33"x22" Stainless Steel 18 gauge double bowl drop in sink Moen: G182114



Optional

2000 Series 33"x22" stainless steel 20 gauge double bowl drop in sink



KITCHEN SINKS CORIAN UNDERMOUNT KITCHEN SINKS



Corian #850 Double Bowl Undermount Kitchen Sink 50/50



Corian #872 Double Bowl Undermount Kitchen Sink 30/70



Corian #871 Single Bowl Undermount Bar Sink



Corian #881 Single Bowl Undermount Kitchen Sink



Bisque



Designer White



Bone



Vanilla



FORMICA COUNTERTOP


STANDARD COLORS -58 SMOOTH MATTE FINISH 100 SQUARE EDGE PROFILE





FORMICA COUNTERTOP

UPGRADE COLORS
-46 ETCHINGS FINISH



Etchings™ - A softly polished and etched surface dappled with highlights from tiny fractures and fissures reminiscent to those found in natural granite and stone. Recommended for horizontal and vertical interior applications. Premium Finish.

Upgrade Profiles

Profile 677 w/ Formica Beveled Edge
Profile 211 w/ Oak, Maple, Cherry, or Solid Surface Bevel Edge
Profile 433 w/ Oak, Maple, Cherry, or Solid Surface Ogree Edge
Post-Form (Waterfall)



CORIAN COUNTERTOP

GROUP A CORIAN COLORS





QUARTZ COUNTERTOP DUPONT ZODIAQ







Black Forest



Caraway



Chestnut



Coriander




Cygnus Pearl



Mystic Black



Snow Flurry



Storm Grey



Toasted Almond

AVAILABLE PROFILES


Eased



Bullnose



Half Bevel





BASIC APPLIANCE PACKAGE

APPLIANCE PACKAGE BY GE



GTE18 (White or Black)

GE® ENERGY STAR®

17.5 Cu. Ft. Top-Freezer
Refrigerator



GSD3300

(White or Black)
GE® Built-In Dishwasher



JVM3162

(White or Black) GE Spacemaker® Over-the-Range Microwave Oven



JGBS10

(White or Black)
GE® 30" Free-Standing
Gas Range



JBS10

(White or Black)
GE® 30" Free-Standing
Electric Range



GFC320

GE® 1/3 Horsepower Continuous Feed Disposer (Optional Upgrade to Package)



DELUXE APPLIANCE PACKAGE

APPLIANCE PACKAGE BY GE



GSE25GG
(White or Black)
GE® ENERGY STAR®
25 Cu.Ft. Side-By-Side
Refrigerator with Dispenser



<u>GSD3300</u> (White or Black) GE® Built-In Dishwasher



JVM3162 (White or Black) GE Spacemaker® Over-the-Range



JGB645 (White or Black) GE® 30" Free-Standing Gas Range



JB645 (White or Black) GE® 30" Free-Standing Electric Range



GFC535
GE® 1/2 Horsepower
Continuous Feed Disposer
(Optional Upgrade to Package)



STAINLESS APPLIANCE PACKAGE

APPLIANCE PACKAGE BY GE



GFE24JS

Stainless
GE® ENERGY STAR®
23.8 Cu. Ft.
French Door
Refrigerator with Dispenser



GDF510PS

Stainless
GE® ENERGY STAR
Built-In Dishwasher



JVM3162R

Stainless GE Spacemaker® Over-the-Range Microwave Oven



JGB645SE

Stainless GE® 30" Free-Standing Gas Range



JB645R

Stainless GE® 30" Free-Standing Electric Range



GFC720

GE® 3/4 Horsepower Continuous Feed Disposer (Optional Upgrade to Package)



RANGE HOODS BY BROAN

F40000 Series




Standard

(White) 30" Convertible Range Hood



Optional

(Stainless)
30" Convertible Range Hood



Optional

(Bisque)
30" Convertible Range Hood



Optional

(Black)
30" Convertible Range Hood

QS1 Series (Allure 1)



Optional

(White) 30" Range Hood

1.5 sones on normal speed



Optional

(Bisque) 30" Range Hood

1.5 sones on normal speed



Optional

(Stainless)
30" Range Hood

1.5 sones on normal speed



Optional

(Black) 30" Range Hood

1.5 sones on normal speed





Elite E6000 Series Professional Style



Optional

(Stainless)
30" 600 CFM Internal Blower

Elite RM5200 Series Chimney Style (Wall Mount)



Optional

(Stainless)
30" 370 CFM Internal Blower

Elite 63000 Series Chimney Style (Island)



Optional

(Stainless)
39 3/8" 900CFM Internal Blower



BATH FIXTURES

AVAILABLE WITH NO SEAT, ONE SEAT, OR TWO SEAT



Model # RE5636 36" Shower 36" W x 35" D x 77.25" H



Model # RE5848 48" Shower 48.0" W x 36.0" D x 76.5" H



Corner Shower 38.75" W x 38.75" D x 79.75" H



Model # RE5860 60" Shower 60.0" W x 35.75" D x 74.75" H



BATH FIXTURES



Model # RE7905

Tub/Shower 60.0" W x 33.0" D x 74.0" H



Model # MP8011

ADA-Compliant 1-Piece Tub-Shower 59.75" W x 33.0" D x 76.0" H



Model # RE4060A

60" Corner Bathtub w/Integral Skirt 60.0" W x 60.0" D x 27.0" H *Available In Whirlpool w/ 8 or 12 Jet Option



Model # RE4060D

60" Corner Drop-In Bathtub 60.0" W x 60.0" D x 21.5" H *Available In Whirlpool w/ 4 or 8 Jet Option

Standard Color Options

White

Bone







SPECIALTY SINKS

AMERICAN STANDARD PEDESTAL / WALL HUNG SINK



Evolution 22" Pedestal Sink

Rear overflow Vitreous China Soap/accessory ledge

Available Colors

White Bone





Wall Mount Sink

0355.012

Front overflow
Self-draining deck area
Faucet ledge

Available Colors

White

Bone









MANSFIELD TOILETS

AVAILABLE IN ROUND, ELONGATED, AND HANDICAPPED

Premier Series Round Toilet



Prestige Series Elongated
Toilet



Comfort Height/ADA Toilet



Available Colors
White Bone










KERRICO MARBLE VANITY TOPS

Standard:







Bone On White



Grey on White



Blush on White

Upgrade Granite Colors:



Sand Granite



Steel Grey Granite



Terra-cotta Granite



Coal Granite



Ecru Granite



Mocha Granite




Pistachio Granite



MEDICINE CABINETS AND MIRRORS



Model # 9422WB 16-1/8" x 22-1/8"



Glass Plate Mirror Available in sizes - 24", 30", 36" 48", 60" and 72"



Deluxe Medicine Cabinet Recessed or Surface Mount Available in sizes - 24", 30", 36", and 48"



WARRANTY AND GUIDELINES

Warranty Information:

Professional Building Systems, Inc. warrants its product for one (1) year (from the date of delivery) from concealed structural damages or defects. Professional Building Systems, Inc. also enrolls every house in a ten (10) year limited structural warranty program with RWC Residential Warranty Corporation. There will be an information packet forwarded to the builder. The builder must forward the package to the Homeowner. The information contained in this packet instructs the homeowner on what is an allowable claim. The information packet will also contain a list of industry-accepted tolerances on items throughout the home and how to submit a claim to the Residential Warranty Corporation.

All appliances and fixtures supplied by Professional Building Systems, Inc. are covered by their own individual manufacturer's warranties.

Reminder to Builders:

Professional Building Systems, Inc. manufactures its homes to meet rigid specifications, including the IBC, IRC, and the standard state building codes applicable. Although we design our products to meet most local building codes, due to circumstances beyond our control we cannot guarantee that we meet all local code requirements. For specifics, the builder should refer to his local building inspector.

**It is the builder's responsibility to inform Professional Building Systems, Inc., in writing, of any special requirements or codes required in his local area. **

Contact Information:

Professional Building Systems, Inc.

200 Custom Avenue Middleburg, PA 17842 Phone: 570-837-1424

Toll Free: 800-837-4552 Fax (Sales): 570-837-6133 info@pbsmodular.com

Web site:

www.pbsmodular.com



MISSION STATEMENT



Professional Building Systems, Inc. mission statement is to produce a high quality product with a team of professionals that leads the housing industry in technology, innovation, and creativity. We work to provide experienced builders with quality custom modular homes and service, and to have a positive relationship with our employees, vendors, investors, and community.

Since our inception, we have been operating under these core values:

To succeed by providing exceptional customer service

To value and empower our employees

To hire experienced professionals who provide industry leadership

To deliver a quality product in a professional manner

To partner with professional building contractors and suppliers

